

SECTION 1015
TRASH AND LITTER RECEPTACLES

1015.1 GENERAL

Work under this section consists of the furnishing and installation of trash and litter receptacles including the furnishing of all associated labor, equipment and materials in accordance with the plans and specifications.

1015.2 REFERENCES

1015.3 MATERIALS AND EXECUTION

1015.3.1 Each item shall be new and without flaws or defects of any type and shall be the best of their class and kind. Each items shall be of the brand and type as noted in the specifications and on the drawings, or an approved equal.

1015.3.2 Trash receptacles shall be Rinconada III trash receptacles (TR-3329-III) with front-opening fiberglass door or approved equal. Concrete Specifications: 4000 28-day compressive strength (minimum), 4-7% entrained air, mild steel reinforcing as required, polypropylene fiber secondary reinforcing, smooth surface fiberglass forms, integral color as specified on the drawings, finish smooth as cast. Receptacles shall be as manufactured by Materials, Inc., Albuquerque, New Mexico, or approved equal.

1015.3.3 Each item specified is equipment manufactured by specific companies and has been approved by the Landscape Architect and the City of Albuquerque, Parks and General Services, Design Development and Maintenance Divisions. Approved equal equipment or other manufacturers may be used only with the written approval of the Landscape Architect and submittals for approved equal equipment shall be presented no later than five (5) days prior to the opening of the bids.

1015.4 INSTALLATION

Receptacles shall be located as shown on plans or as directed by the Landscape Architect.

1015.5 MEASUREMENT AND PAYMENT

Measurement and payment will be the unit price per each for the class and type required as specified in the Bid Proposal.